

VISTA SERIES



**Modular Conveyor
Wash System**



**Up to 80
Cars Per Hour**

**Equipment and
Building In One Unit**

Excell

- **Foam Bath** – Directional for complete front, side and rear coverage.



- **Side Washers** – Independent control of arms gives superior wash quality.
- **Contouring Top Washer**

- **Rocker Panel Washer**



- **Horizontal Wheel Wash**



- **Side Dryer Vents**
- **Top Contouring Follower Dryer**



OPTIONS

Foam Bath Group

- Tri Foam Arch – 3 colored foaming detergents

Hydrobot High Pressure Pre-Wash Group

- II-Two vertically mounted side washers @ 120 bar
- III-One horizontally mounted, contouring top washer @ 120 bar
- Under Chassis Wash
- Rim and Wheel Wash

Modular Washer Group – FoamBrite™ or Filament

- Rocker Panel Washers
- Extra Top Washer

Wax and Rinse Arch Group

- Tri Foam Arch – 3 colored foaming waxes
- Polish Wax, Clear Coat or Sealer Wax
- Reverse Osmosis
- Extra Rinse Arch

Dryer Group

- Extra Top Contouring Follower Dryer

Control and Activation Group

- Self Service Activation
- LED Diagnostics
- Code-A-Wash
- Coin, Bill, or Credit Card Activation
- Correlator
- Roller Positioning Aid


ted

SUPER VISTA

60 - 80 CARS PER HOUR

15m AND UP SYSTEMS

- Combine two sets of twin lateral traveling offset side washers, variable speed conveyor and overlapping side washers to achieve extra throughput and quality at high speeds.




- **Overlapping Side Washers**



- High Speed and Total Quality

Unique Traveling Washer Design

Ryko combines its VFD controlled conveyor with its uniquely designed side washer modules for optimum results. The side washer modules allow longer contact time with the vehicle by following the vehicle and overlapping in the front and the rear, giving superior washing results at high conveyor speeds.



STANDARD 15.0m SYSTEM





BUILDING



- Entrance & Exit Fascia
- Side Fascia
- Insulated Roof with rain gutters
- Equipment Room
- Office
- Glass




CONVEYOR



- Hot Dipped Galvanized Conveyor and Rollers
- High Tensile Strength Double Chain
- Direct Drive Electric Motor
- Automatic Chain Wash
- Anti-collision System

Reliable • Proven •

H Y D R O B O T



Hydrobot II Side Pre-Wash has a single nozzle on each side of the conveyor. These nozzles move up and down and deliver high impact water on the vehicle's surface to remove sand, dirt and mud prior to the wash.

Hydrobot III Top Pre-Wash is a single nozzle that moves right to left, contouring the vehicle's top surface. The high impact water rotates 0°, 90° and 180° as the vehicle moves along the conveyor.



A C C E S S O R I E S



- Correlator
- Roller Positioning Aid
- Entrance and/or Exit Traffic Lights
- Fixed Under Chassis Wash
- Automatic Frost Protection
- Manual or Electric Doors
- 2.2kW Water Pump
- Larger 20.5kW Dryer System for Super Vista
- Plastic Division Curtain
- Extra Rinse, Wax or Polish Arches
- Low Pressure Side Rotating Nozzles
- Extra Contouring Top Follower Dryer
- Hydrobot II and III High Pressure Pre-Wash
- LCD Diagnostic Display
- Reverse Osmosis Water Treatment System
- Self Service Activation Kit
- Code-A-Wash
- Tri Foam Detergent or Wax

Accepted





MINI VISTA



STANDARD SYSTEM

- Manual Activation
- 4 side Washers
- Top Brush
- Rinse and Wax Arch
- Top Contouring
- Following Dryer
- Dryer Side Vents

STANDARD 10.5M SYSTEM



International Ltd. Headquarters:
 11600 NW 54th Avenue
 Grimes, IA 50111 USA
 Phone: +1515 • 986 3700
 Fax: +1515 • 986 2217
 E-mail: sales@ryko.com
 www.ryko.com



Regional Office:
 RYKO International Ltd.
 Albert Plesmanweg 114-116
 4462 GC GOES
 Netherlands
 Phone: +31 • 113-232622
 Fax: +31 • 113-232634
 E-mail: europesales@ryko.com